

June 2015

Check ERP PIC status

Related Tech Tips:

Change ERP PIC status, Current status download, ERP PIC history report, PIC and device status codes (full list of status codes)



Regulatory authorities can **assign** one or more 'statuses' to a property's PIC. Some PIC statuses are associated with the Extended Residue Program (ERP). For example, properties with Organochlorine (OC) contamination that are rated 'high-risk' are assigned an [**OC T4**] status.

There are various reasons for checking the ERP PIC status of properties:

- Feedlots and exporters must do this to prepare for the arrival of cattle
- Livestock agents and saleyards must do this to prepare sale catalogues
- Processors must ensure that cattle consigned for slaughter are fit for consumption
- Producers and third parties may want to know whether PIC statuses have been applied to any PICs linked to their database accounts.



To **check** the ERP and other PIC statuses of one or more PICs, run the **ERP PIC status** report.

- Producers and third parties can only run this report for PICs that are linked to their account
- Feedlots, exporters, agents, saleyards and processors can run this report even if the PICs are not linked to their account

Results: If any PICs have cattle with a risk status residing on them, Early Warning (EW) PIC statuses will be disclosed to feedlots and processors, to help them prepare for and manage these cattle on arrival. If there are no high risk PIC statuses assigned to the PIC, the results will indicate 'Clear no test' (meaning that there is no need for the carcase to be tested at slaughter).

Login to the database at www.nlis.com.au

- 1 Enter your **NLIS user ID** and **password** and click 
- 2 Select **Cattle** as the livestock type.
- 3 Select the **ERP PIC status** report and click 



If you cannot see the report on the home page, select **View/generate all reports** and click **Go**. From the ERP group, select **ERP PIC status**, click **Go** and then follow steps 4-5 on page 2.

- 4 Enter the **PICs** for the properties you wish to check.
- 5 Click **Go** to view the report results on-screen.

Which report would you like to view or generate?

Report name: ERP PIC status i

Output type: On-screen

The default type is 'On-screen'. Ignore this field unless you want the results by XML or E-mail. If there is too much data to display, you will get a message to **View large report results**.

PIC: PICTEST1
PICTEST2
PICTEST3
PICTEST4
PICTEST5
PICTEST6

Type the **PIC(s)** in this field and press the **Enter** key after each one to start a new line for the next PIC. Alternatively, paste in an electronic list of PICs copied to your clipboard.

Note: Producers and third parties can run this report for PICs linked to their account.

Go

Displaying items 1 - 20 of 28

PIC	Program Code	Status code	Status code description	Valid	
1	PICTEST1	EW	EW1	This PIC may have devices registered with a status of interest	Yes
2	PICTEST1	FO	MC	Assigned to PICs that have been identified as a source of cattle that have metal contamination.	Yes
3	PICTEST1	LPA	A	Accredited	Yes
4	PICTEST1	NFAS	A	Accredited	Yes
5	PICTEST1	NLS	EU2	This property is eligible to receive non-EU devices which can then, if they satisfy a number of business rules, be set to EU-Pending (NLS-P) status.	Yes
6	PICTEST1	OC	R	Clear no test	Yes
7	PICTEST2	AQ	AQ	AQ - Anthrax quarantine. Not for human consumption.	Yes
8	PICTEST2	EW	EW1	This PIC may have devices registered with a status of interest	Yes
9	PICTEST2	LPA	A	Accredited	Yes
10	PICTEST2	NFAS	A	Accredited	Yes
11	PICTEST3	AQ	AQ	AQ - Anthrax quarantine. Not for human consumption.	Yes
12	PICTEST3	ENDO	E10	E10 - TEST 1 LOT IN 10 FOR HOLD ALL	Yes
13	PICTEST3	EW	EW1	This PIC may have devices registered with a status of interest	Yes
14	PICTEST3	LPA	A	Accredited	Yes
15	PICTEST3	NARM	KV	All calves in KV lot to be urine sampled for antibacterial testing. Identification according to processor's requirements. (i.e. paint mark)	Yes
16	PICTEST3	NFAS	A	Accredited	Yes
17	PICTEST3	NLS	EU	Under the European Union (EU) rules, all devices registered with a status of interest	Yes
18	PICTEST4	EW	EW1	This PIC may have devices registered with a status of interest	Yes
19	PICTEST4	LPA	A	Accredited	Yes
20	PICTEST4	NARM	KV	All calves in KV lot to be urine sampled for antibacterial testing. Identification according to processor's requirements. (i.e. paint mark)	Yes

Page 1 of 2 1 2 **Next page**

Items per page: 20 60 80

Column display **Filter by** **Export**

Step 1. Select the field to filter by:

Program Code

Step 2. Enter the text that you want to find, then click 'Apply':

NARM

Apply **Close**

To search for specific items, click **Filter by**, follow steps 1 and 2 on the Filter screen and click **Apply**.

To view the list on one page select **All** Items per page.